

Supplementary Table to Appendix 11 - Threatened flora species records and likely presence within Project Extent

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Annual Buttercup	<i>Ranunculus sessiliflorus</i> <i>var. pilulifer</i>			k	1	1979	Possible	Spring	
Arching Flax-lily	<i>Dianella sp. aff. longifolia</i> (<i>Benambra</i>)			v	2	2010	Likely	Spring	Flora of Victoria
Ausfeld's Wattle	<i>Acacia ausfeldii</i>		X	v	15		Possible	August - October	Flora of Victoria
Bent-leaf Wattle	<i>Acacia flexifolia</i>			r	10	1995	Possible	June - October	Flora of Victoria
Blue Mallee	<i>Eucalyptus polybractea</i>			r	85	2012	Likely	Autumn - Winter	Flora of Victoria
Bluish Raspwort	<i>Haloragis glauca f. glauca</i>			k		2012	Known	Spring - Autumn	Flora of Victoria
Bramble Wattle	<i>Acacia victoriae</i> subsp. <i>victoriae</i>			r	1	2000	Likely	September	Flora of Victoria
Branching Groundsel	<i>Senecio cunninghamii</i> var. <i>cunninghamii</i>			r	2	2000	Likely	October - April	Flora of Victoria
Brilliant Sun-orchid	<i>Thelymitra mackibbinii</i>	VU	L	e		PMST	Unlikely		
Broad-lip Diuris	<i>Diuris X palachila</i>			r	1	1992	Possible	September - October	Flora of Victoria
Buloke	<i>Allocasuarina luehmannii</i>		L	e	29	2011	Likely	September - November	Flora of Victoria
Buloke Mistletoe	<i>Amyema linophylla</i> subsp. <i>orientale</i>			v	1	2000	Likely	January - April	Flora of Victoria

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Candy Spider-orchid	<i>Caladenia versicolor</i>	VU	L	e		PMST	Unlikely		
Cane Spear-grass	<i>Austrostipa breviglumis</i>			r	20	2011	Likely	Spring	Flora of Victoria
Clover Glycine, Purple Clover	<i>Glycine latrobeana</i>	VU	L	v		PMST	Unlikely		
Club-hair New Holland Daisy	<i>Vittadinia condyloides</i>			r	3	1996	Possible	October - December	Flora of Victoria
Coast Stork's-bill	<i>Pelargonium littorale</i>			k	1	1952	Unlikely		
Coccid Emu-bush	<i>Eremophila gibbifolia</i>			r	4	1950	Unlikely		
Common Beard-heath	<i>Leucopogon virgatus</i> var. <i>brevifolius</i>			r	1	1770	Unlikely		
Common Fringe-sedge	<i>Fimbristylis dichotoma</i>			v	3	1981	Possible	Spring - Summer	Flora of Victoria
Common Morel	<i>Morchella esculenta</i>			v	1	1770	Unlikely		
Common Pipewort	<i>Eriocaulon scariosum</i>			r	1	1990	Possible	January - June	Flora of Victoria
Common Sour-bush	<i>Choretrum glomeratum</i>			P	2	1991	Possible	Spring	
Crimson Sun-orchid	<i>Thelymitra X macmillanii</i>			v	2	1932	Unlikely		
Dainty Phebalium	<i>Phebalium festivum</i>		L	v	27	2010	Likely	Spring - Summer	Flora of Victoria
Dainty Spider-orchid	<i>Caladenia ampla</i>			e	1	2005	Likely	September - October	Flora of Victoria
Dark Roly-poly	<i>Sclerolaena muricata</i> var. <i>semiglabra</i>			k	1	1989	Possible	September - February	Flora of Victoria

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Deane's Wattle	<i>Acacia deanei</i>			P	13	2011	Likely	Summer	Flora of Victoria
Deane's Wattle	<i>Acacia deanei</i> subsp. <i>paucijuga</i>			r	18	2011	Likely	Summer	Flora of Victoria
Diosma Rice-flower	<i>Pimelea flava</i> subsp. <i>Dichotoma</i>			r	5	1987	Possible	June - February	Flora of Victoria
Downy Swainson-pea	<i>Swainsona swainsonioides</i>		L	e	1	1992	Possible	August - November	Flora of Victoria
Dwarf Cassinia	<i>Cassinia diminuta</i>			r	5	1992	Possible	January - March	Flora of Victoria
Erect Peppercreess	<i>Lepidium pseudopapillosum</i>	VU	L	e	1	1995/PMS T	Possible		
Flat Spike-sedge	<i>Eleocharis plana</i>			v	1	1994	Possible	Spring - Summer	Flora of Victoria
Floodplain Rustyhood	<i>Pterostylis cheraphila</i>	VU	L	v		PMST	Unlikely		
Foot Triggerplant	<i>Stylidium ecorne</i>			k		1981	Possible	July - January	Flora of Victoria
Fuzzy New Holland Daisy	<i>Vittadinia cuneata</i> var. <i>morrisii</i>			r	4	2012	Likely	October - November	Flora of Victoria
Giant Hop-bush	<i>Dodonaea viscosa</i> subsp. <i>angustifolia</i>			r	1	2002	Likely	Spring - Summer	Flora of Victoria
Goldfield Boronia	<i>Boronia anemonifolia</i> subsp. <i>aurifodina</i>			r	2	1987	Possible	September - January	Flora of Victoria
Goldfields Grevillea	<i>Grevillea dryophylla</i>			r	11	2000	Likely	August - November	Flora of Victoria

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Green Leek-orchid	<i>Prasophyllum lindleyanum</i>		X	v	5	1981	Possible	September - January	Flora of Victoria
Greencomb Spider-orchid, Rigid Spider-orchid	<i>Caladenia tensa</i>	EN				PMST	Unlikely		
Green-strap Star-liverwort	<i>Asterella tenera</i>			k	1	1955	Unlikely		
Grey Grass-tree	<i>Xanthorrhoea glauca subsp. angustifolia</i>		L	e	2	2000	Likely	Year-round	
Grey Podolepis	<i>Podolepis canescens</i>			r	1	1861	Unlikely		
Hairy Hop-bush	<i>Dodonaea boroniifolia</i>			r	4	1981	Possible	Autumn and Spring	Flora of Victoria
Hairy Tails	<i>Ptilotus erubescens</i>		L	v	7	1996	Possible	November - February	Flora of Victoria
Half-bearded Spear-grass	<i>Austrostipa hemipogon</i>			r	3	2011	Likely	Spring	Flora of Victoria
Hoary Sunray, Grassland Paper-daisy	<i>Leucochrysum albicans var. tricolor</i>	EN	L			PMST	Unlikely		
Inland Pomaderris	<i>Pomaderris paniculosa subsp. paniculosa</i>			v	21	2001	Likely	September - October	Flora of Victoria
Ivy-leaf Duckweed	<i>Lemna trisulca</i>			k	1	1994	Possible	Year-round	Flora of Victoria
Kamarooka Mallee	<i>Eucalyptus froggattii</i>		L	r	27	2012	Known	January - April	FFG Action Statement

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Late-flower Flax-lily	<i>Dianella tarda</i>			v	4	2011	Likely	November - January	Flora of Victoria
Marbled Marshwort	<i>Nymphoides spinulosperma</i>		L	e	5	1996	Likely	November - February	Flora of Victoria
Mclvor Spider-orchid, Audas Spider-orchid Caladenia audasii	<i>Caladenia audasii</i>	EN	L	e		PMST	Unlikely		
Pale Leek-orchid	<i>Prasophyllum pallidum</i>	VU				PMST	Unlikely		
Pale Spike-sedge	<i>Eleocharis pallens</i>			k	4	1996	Possible	Spring - Summer	Flora of Victoria
Plain Quillwort	<i>Isoetes drummondii</i> subsp. <i>anomala</i>			k	1	1979	Possible	Year-round	Flora of Victoria
Plains Joyweed	<i>Alternanthera</i> sp. 1 (Plains)			k	2	2012	Likely	October - March	Flora of Victoria
Purple Eyebright	<i>Euphrasia collina</i> subsp. <i>muelleri</i>	EN	L	e	1	1770	Unlikely		
Rayless Daisy-bush	<i>Olearia tubuliflora</i>			r	2	1990	Possible	September - December	Flora of Victoria
Red Darling-pea, Red Swainson-pea	<i>Swainsona plagiotropis</i>	VU	L	e	1	1992/PMS T	Possible	September - October	DSE- National Recovery Plan for the Red Swainson-pea <i>Swainsona plagiotropis</i>
River Swamp Wallaby-grass,	<i>Amphibromus fluitans</i>	VU				PMST	Unlikely		

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Floating Swamp Wallaby-grass									
Rosemary Grevillea	<i>Grevillea rosmarinifolia</i>			P	7	2000	Likely	Spring	Flora of Victoria
Rough Wattle	<i>Acacia aspera subsp. parviceps</i>			r	1	PMST	Unlikely		
Rye Beetle-grass	<i>Tripogon loliformis</i>			r	1	1981	Possible	October - March	Flora of Victoria
Sand Brome	<i>Bromus arenarius</i>			r	1	1981	Possible	July - October	Flora of Victoria
Sand Rush	<i>Juncus psammophilus</i>			r	1	2011	Likely	Summer	Flora of Victoria
Short-bristle Wallaby-grass	<i>Rytidosperma setaceum var. brevisetum</i>			r	2	2012	Likely	Spring	
Sikh's Whiskers	<i>Pterostylis boormanii</i>			r	4	1995	Possible	October - November	Flora of Victoria
Silky Swainson-pea	<i>Swainsona sericea</i>		L	v	1	1996	Possible	August - October	Flora of Victoria
Slender Club-sedge	<i>Isolepis congrua</i>		L	v	3	1981	Possible	Spring	Flora of Victoria
Slender Darling-pea, Slender Swainson, Murray Swainson-pea	<i>Swainsona murrayana</i>	VU	L			PMST	Unlikely		
Small-flower Grevillea	<i>Grevillea micrantha</i>			r	9	1992	Possible	August - January	Flora of Victoria

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Small-flower Wallaby-grass	<i>Rytidosperma monticola</i>			r	3	2012	Likely	September - December	Flora of Victoria
Small-leaf Goodenia	<i>Goodenia benthamiana</i>			r	8	2011	Likely	September - January	Flora of Victoria
Smooth Nardoo	<i>Marsilea mutica</i>			k	1	1994	Possible	Year-round	Flora of Victoria
Snowy Mint-bush	<i>Prostanthera nivea</i> var. <i>nivea</i>			r	5	2002	Likely	September - December	Flora of Victoria
Southern Swainson-pea	<i>Swainsona behriana</i>			r	2	1996	Possible	August - January	Flora of Victoria
Spear-grass	<i>Austrostipa trichophylla</i>			r	2	1990	Possible	Spring - Summer	Flora of Victoria
Spike Grass	<i>Elytrophorus spicatus</i>			k	1	1980	Possible	October - November	Flora of Victoria
Spiny Lignum	<i>Duma horrida</i> subsp. <i>horrida</i>			r	1	1994	Possible	September - November	Flora of Victoria
Spiny Rice-flower	<i>Pimelea spinescens</i> subsp. <i>spinescens</i>	CR	L	e	1	2008/PMS T	Likely	August - April (Transect surveys)	DEWHA- SIA Guidelines
Spiral Sun-orchid	<i>Thelymitra matthewsii</i>	VU	L	v		PMST	Unlikely		
Stiff Groundsel	<i>Senecio behrianus</i>	EN	L	e	1	2003/PMS T	Likely	January - May	DSE- National Recovery Plan for the Stiff Groundsel <i>senecio behrianus</i>

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Streaked Wattle	<i>Acacia lineata</i>			r	19	2011	Likely	September - October	Flora of Victoria
Striped Water-milfoil	<i>Myriophyllum striatum</i>		L	v	4	2003	Likely	Spring - Summer	Flora of Victoria
Swamp Diuris	<i>Diuris palustris</i>		L	v	1	1979	Possible	October - November	FFG Action Statement
Tiny Bog-sedge	<i>Schoenus nanus</i>			r	13	1985	Possible	Winter - Spring	Flora of Victoria
Trailing Hop-bush	<i>Dodonaea procumbens</i>	VU		v		PMST	Unlikely		
Trim Flat-sedge	<i>Cyperus concinnus</i>			v	1	1994	Possible	Spring - Summer	Flora of Victoria
Trim Leek-orchid	<i>Prasophyllum aff. pyriforme (Inglewood)</i>			e	3	2003	Likely	November - December	Flora of Victoria
Turnip Copperburr	<i>Sclerolaena napiformis</i>	EN	L	e		PMST	Unlikely		
Umbrella Wattle	<i>Acacia oswaldii</i>		N	v	1	2011	Likely	November - January	Flora of Victoria
Velvet Daisy-bush	<i>Olearia pannosa subsp. cardiophylla</i>		L	v	10	2007	Likely	September - November	Flora of Victoria
Wedderburn Wattle	<i>Acacia euthycarpa subsp. oblanceolata</i>			v	7	1998	Likely	August - October	Flora of Victoria
Western Golden-tip	<i>Goodia medicaginea</i>			r	2	1981	Possible	August - September	Flora of Victoria
Western Pellitory	<i>Parietaria australis</i>			r	1	1960	Unlikely		

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
Whipstick Crowea	<i>Crowea exalata subsp. revoluta</i>			v		1951	Unlikely		
Whipstick Westringia	<i>Westringia crassifolia</i>	EN	L	e	1	2003/PMS T	Likely	August - September	DSE- National Recovery Plan for the Whipstick Westringia <i>Westringia crassifolia</i>
Whirrakee Wattle	<i>Acacia williamsonii</i>		X	r	10	2000	Likely	August - September	Flora of Victoria
Whorled Zieria	<i>Zieria aspalathoides subsp. aspalathoides</i>		L	v	7	2002	Likely	Spring	Flora of Victoria
Winged Water-starwort	<i>Callitriche umbonata</i>		X	r	4	1981	Possible	August - December	Flora of Victoria
Yelka	<i>Cyperus victoriensis</i>			k	1	1994	Possible	Spring - Summer	Flora of Victoria
Yellow Sea-lavender	<i>Limonium australe var. australe</i>			r	1	1997	Likely		
Yellow-lip Spider-orchid	<i>Caladenia xanthochila</i>	EN	L	e	2	1999/PMS T	Likely	August - September	DOEE- Approved Conservation Advice for <i>Caladenia xanthochila</i> (yellow-lip spider-orchid)
EPBC – Environment Protection and Biodiversity Conservation Act 1999									

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey period	Source
EX – Extinct		CR – Critically Endangered							
EN – Endangered		VU – Vulnerable							
VROT – Victorian rare and threatened species									
x – presumed extinct		cr – Critically Endangered		e – endangered					
v – vulnerable		r – rare							
k – poorly known									
FFG – Flora and Fauna Guarantee Act 1988:									
L – listed as threatened		P – listed as protected		X – Removed					

Supplementary Table to Appendix 12 – Summary of Threatened flora analysis within the Project Extent

Common Name	Scientific Name	EPBC	FFG
Buloke	<i>Allocasuarina luehmannii</i>		L
Dainty Phebalium	<i>Phebalium festivum</i>		L
Grey Grass-tree	<i>Xanthorrhoea glauca subsp. angustifolia</i>		L
Kamarooka Mallee	<i>Eucalyptus froggattii</i>		L
Marbled Marshwort	<i>Nymphoides spinulosperma</i>		L
Spiny Rice-flower	<i>Pimelea spinescens subsp. spinescens</i>	CR	L
Stiff Groundsel	<i>Senecio behrianus</i>	EN	L
Striped Water-milfoil	<i>Myriophyllum striatum</i>		L
Velvet Daisy-bush	<i>Olearia pannosa subsp. cardiophylla</i>		L
Whipstick Westringia	<i>Westringia crassifolia</i>	EN	L
Whorled Zieria	<i>Zieria aspalathoides subsp. aspalathoides</i>		L
Yellow-lip Spider-orchid	<i>Caladenia xanthochila</i>	EN	L

CR = Critically Endangered, EN = endangered, VU = vulnerable, L = Listed

Supplementary Table to Appendix 13 - Threatened Fauna Species Records within the Project Extent

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Amphibians									
Brown Toadlet	<i>Pseudophryne bibronii</i>		L	en	56	1996	Possible	February - June after heavy rain	Howard, et al (2010)
Growling Grass Frog	<i>Litoria raniformis</i>	VU	L	en	8	1960/PMST	Unlikely	-	-
Birds									
Australasian Shoveler	<i>Anas rhynchotis</i>			vu	2	1981	Possible	No specific survey guidelines available	-
Australian Bittern	<i>Botaurus poiciloptilus</i>	EN	L			PMST	Unlikely	-	-
Australian Painted Snipe	<i>Rostratula australis</i>	EN, Ma	L			PMST	Unlikely	-	-
Barking Owl	<i>Ninox connivens connivens</i>		L	en	5	1981	Possible	March - December	Approved survey standards: Powerful Owl. DSE (2011).
Black Falcon	<i>Falco subniger</i>			vu	7	2001	Likely	No specific survey guidelines available	-
Black-eared Cuckoo	<i>Chrysococcyx osculans</i>			nt	24	2000	Likely	No specific survey guidelines available	-
Black-faced Monarch	<i>Monarcha melanopsis</i>	Ma, Mi				PMST	Unlikely	-	-
Brolga	<i>Grus rubicunda</i>		L	vu	9	2001	Likely	Year round, species breeds	FFG Action statement

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
								late autumn to winter, disperses summer to early autumn	
Brown Treecreeper (south-eastern ssp.)	<i>Climacteris picumnus victoriae</i>			nt	365	2008	Possible	No specific survey guidelines available - spring / summer	-
Bush Stone-curlew	<i>Burhinus grallarius</i>		L	en	3	1987	Possible	August to October	Species Recovery Plan, DEC, NSW, 2006
Caspian Tern	<i>Hydroprogne caspia</i>	Ma, Mi	L	nt	1	1983	Possible	Not specified	SPRAT, DoEE, 2017
Cattle Egret	<i>Ardea ibis</i>	Ma			5	1983/PMST	Possible	No specific survey guidelines available	-
Clamorous Reed Warbler	<i>Acrocephalus stentoreus</i>	Ma			17	1999	Likely	No specific survey guidelines available	
Common Greenshank	<i>Tringa nebularia</i>	Ma, Mi		vu	2	1983	Possible	No specific survey guidelines available	
Common Greenshank	<i>Tringa nebularia</i>	Ma, Mi		vu	2	1983/PMST	Possible	August to May	SPRAT, DoEE, 2017
Crested Bellbird	<i>Oreoica gutturalis gutturalis</i>		L	nt	98	2006	Likely	No specific survey guidelines available	
Curllew Sandpiper	<i>Calidris ferruginea</i>	CR, Ma, Mi	L			PMST	Unlikely	-	-

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Diamond Dove	<i>Geopelia cuneata</i>		L	nt	7	1992	Possible	No specific survey guidelines available	-
Diamond Firetail	<i>Stagonopleura guttata</i>		L	nt	151	2010	Likely	No specific survey guidelines available - spring / summer	
Double-banded Plover	<i>Charadrius bicinctus</i>				1	1978	Possible	No specific survey guidelines available	
Eastern Curlew, Far Eastern Curlew	<i>Numenius madagascariensis</i>	CR, Ma, Mi	L			PMST	Unlikely	-	-
Eastern Great Egret	<i>Ardea modesta</i>	Ma	L	vu	2	1983	Possible	Not specified	FFG Action statement
Fork-tailed Swift	<i>Apus pacificus</i>	Ma, Mi			5	1986	Possible	October to March / April	SPRAT, DoEE, 2017
Great Egret, White Egret	<i>Ardea alba</i>	Ma				PMST	Possible	Not specified	SPRAT, DoEE, 2017
Grey Falcon	<i>Falco hypoleucos</i>		L	en	2	1980	Possible	No specific survey guidelines available	-
Grey Goshawk	<i>Accipiter novaehollandiae novaehollandiae</i>		L	vu	1	1992	Possible	No specific survey guidelines available	-
Grey-crowned Babbler	<i>Pomatostomus temporalis temporalis</i>		L	en	9	2001	Likely	No specific survey guidelines available - spring / summer	

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Hooded Robin	<i>Melanodryas cucullata cucullata</i>		L	nt	101	2010	Likely	No specific survey guidelines available - spring / summer	
Intermediate Egret	<i>Ardea intermedia</i>	Ma	L	en	2	2001	Likely	No specific survey guidelines available	-
Latham's Snipe, Japanese Snipe	<i>Gallinago hardwickii</i>	Ma. Mi	N			PMST	Unlikely	-	-
Little Button-quail	<i>Turnix velox</i>			nt	2	2006	Likely	No specific survey guidelines available	-
Malleefowl	<i>Leipoa ocellata</i>	VU	L	en	7	2006/PMST	Likely	Not specified	Survey Guidelines for Australia's Threatened Birds, DEWHA, 2010
Musk Duck	<i>Biziura lobata</i>			vu	3	1981	Possible	No specific survey guidelines available	-
Nankeen Night Heron	<i>Nycticorax caledonicus hillii</i>			nt	9	2001	Likely	No specific survey guidelines available	-
Painted Honeyeater	<i>Grantiella picta</i>	VU	L	vu	37	2006/PMST	Likely	No specific survey guidelines available	Survey Guidelines for Australia's Threatened Birds, DEWHA, 2010
Pied Cormorant	<i>Phalacrocorax varius</i>			nt		1983	Possible	No specific survey guidelines available	
Plains-wanderer	<i>Pedionomus torquatus</i>	CR	L	cr		2000/PMST	Likely	October to March	Biodiversity Precinct Structure Planning Kit, DSE (2010)

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Powerful Owl	<i>Ninox strenua</i>		L	vu		2007	Likely	March - December	Approved survey standards: Powerful Owl. DSE (2011).
Purple-gaped Honeyeater	<i>Lichenostomus cratitius</i>			vu	14	1999	Likely	No specific survey guidelines available	-
Rainbow Bee-eater	<i>Merops ornatus</i>	Ma			107	2010/PMST	Likely	September to April	SPRAT, DoEE, 2017
Regent Honeyeater	<i>Anthochaera phrygia</i>	CR	L	cr	5	1986/PMST	Possible	Late Autumn to early spring	Survey Guidelines for Australia's Threatened Birds, DEWHA, 2010
Royal Spoonbill	<i>Platalea regia</i>			nt	7	1999	Likely	No specific survey guidelines available	-
Rufous Fantail	<i>Rhipidura rufifrons</i>	Ma, mi				1975/PMST	Unlikely	-	-
Satin Flycatcher	<i>Myiagra cyanoleuca</i>	Ma, Mi			1	1985/PMST	Possible	Spring - summer	SPRAT, DoEE, 2017
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Ma, Mi			1	1983	Possible	January and early February	SPRAT, DoEE, 2017
Speckled Warbler	<i>Chthonicola sagittatus</i>		L	vu	14	2008	Likely	No specific survey guidelines available	-
Spotted Harrier	<i>Circus assimilis</i>			nt	8	2005	Likely	No specific survey guidelines available	-
Spotted Quail-thrush	<i>Cinclosoma punctatum</i>			nt		1980	Possible	No specific survey guidelines available	-

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Superb Parrot	<i>Polytelis swainsonii</i>	VU	L			PMST	Unlikely	-	-
Swift Parrot	<i>Lathamus discolor</i>	EN, Ma	L	en	94	2008/PMST	Likely	Overwinters, March to July	Survey Guidelines for Australia's Threatened Birds, DEWHA, 2010
Turquoise Parrot	<i>Neophema pulchella</i>		L	nt	2	1992	Possible	No specific survey guidelines available	-
Whiskered Tern	<i>Chlidonias hybridus javanicus</i>	Ma		nt	1	1983	Possible	No specific survey guidelines available	
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	Ma	L		vu	PMST	Unlikely	-	-
White-throated Needletail	<i>Hirundapus caudacutus</i>		L	vu	19	2000/PMST	Likely	December and March	SPRAT, DoEE, 2017
Yellow Wagtail	<i>Motacilla flava</i>	Ma, Mi				PMST	Unlikely	-	-
Fish									
Flathead Galaxias, Beaked Minnow, Flat-headed Galaxias, Flat-headed Jollytail, Flat-headed Minnow	<i>Galaxias rostratus</i>	CR	I			PMST	Unlikely	-	-
Golden Perch	<i>Macquaria ambigua</i>		X	nt	9	1994	Possible	No specific survey guidelines available	-
Murray Cod	<i>Maccullochella peelii</i>	VU	L	vu	8	1995/PMST	Possible	March to August	Survey Guidelines for Australia's Threatened Fish, DSEWPac (2011)

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Invertebrate									
Golden Sun Moth	<i>Synemon plana</i>	CR	L	cr	1	2008/PMST	Likely	November to January	SPRAT, DoEE, 2017
Mammals									
Brush-tailed Phascogale	<i>Phascogale tapoatafa</i>		L	vu	3	1996	Likely	No specific survey guidelines available – detection rates highest February to June, males die off in July	FFG Action Statement
Common Dunnart	<i>Sminthopsis murina murina</i>			vu		1989	Possible	No specific survey guidelines available - spring / summer	
Corben's Long-eared Bat, South-eastern Long-eared Bat	<i>Nyctophilus corbeni</i>	VU				PMST	Unlikely	-	-
Fat-tailed Dunnart	<i>Sminthopsis crassicaudata</i>			nt	51	2002	Likely	Not specified - spring / summer	Biodiversity Precinct Structure Planning Kit, DSE 2010
Grey-headed Flying-fox	<i>Pteropus poliocephalus</i>	VU					Unlikely	-	-
Southern Brown Bandicoot (eastern), Southern Brown Bandicoot (south-eastern)	<i>Isodon obesulus obesulus</i>	EN	L			PMST	Unlikely	-	-
Reptiles									

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
Bandy Bandy	<i>Vermicella annulata</i>		L	vu	2	1990	Possible	No specific survey guidelines available - spring / summer	-
Bearded Dragon	<i>Pogona barbata</i>			vu	12	1996	Possible	No specific survey guidelines available - spring / summer	-
Lace Monitor	<i>Varanus varius</i>			en	8	2004	Likely	No specific survey guidelines available - spring / summer	-
Pink-tailed Worm-lizard, Pink-tailed Legless Lizard	<i>Aprasia parapulchella</i>	VU	L			PMST	Unlikely	-	-
Striped Legless Lizard	<i>Delma impar</i>	VU	L			PMST	Unlikely	-	-
Woodland Blind Snake	<i>Ramphotyphlops proximus</i>			nt	45	1996	Possible	No specific survey guidelines available - spring / summer	-

EPBC – Environment Protection and Biodiversity Conservation Act 1999

EX – Extinct

CR – Critically Endangered

MA – Marine

EN – Endangered

VU – Vulnerable

MI – Migratory

VROT – Victorian rare and threatened species

Common Name	Scientific Name	EPBC	FFG	VROT	Count	Most recent record	Likelihood	Survey Period	Source
EX – presumed extinct									
CR – Critically Endangered		EN – endangered							
VU – vulnerable		NT – near threatened			DD – data deficient				
FFG – Flora and Fauna Guarantee Act 1988:									
L – listed as threatened		P – listed as protected			X – Removed				

Howard, K., Cleeland, C. and Clemann, N. (2010). Assessment of the status of the threatened Bibron's Toadlet and Southern Toadlet in areas affected by the Kilmore East-Murrindindi fires: Black Saturday, Victoria 2009 - Natural values fire recovery program. Arthur Rylah Institute for Environmental Research, Department of Sustainability and Environment, Heidelberg, Victoria.

Supplementary Table to Appendix 14 – Summary of Threatened Fauna Analysis within the Project Extent

Common Name	Scientific Name	EPBC	FFG
Brolga	<i>Grus rubicunda</i>		L
Brush-tailed Phascogale	<i>Phascogale tapoatafa</i>		L
Crested Bellbird	<i>Oreoica gutturalis gutturalis</i>		L
Diamond Firetail	<i>Stagonopleura guttata</i>		L
Golden Sun Moth	<i>Synemon plana</i>	CR	L
Grey-crowned Babbler	<i>Pomatostomus temporalis temporalis</i>		L
Hooded Robin	<i>Melanodryas cucullata cucullata</i>		L
Intermediate Egret	<i>Ardea intermedia</i>		L
Malleefowl	<i>Leipoa ocellata</i>	VU	L
Painted Honeyeater	<i>Grantiella picta</i>	VU	L
Plains-wanderer	<i>Pedionomus torquatus</i>	CR	L
Powerful Owl	<i>Ninox strenua</i>		L
Speckled Warbler	<i>Chthonicola sagittatus</i>		L
Swift Parrot	<i>Lathamus discolor</i>	EN	L
White-throated Needletail	<i>Hirundapus caudacutus</i>		L

CR = Critically Endangered, EN = endangered, VU = vulnerable, L = Listed